

Solar Limited Warranty for PV Modules for 2016

SUNRI' warranty covers all the PV modules produced by SUNRI, including SUNRI' brand and OEM brand.

This warranty is extended to the original end-user purchaser, and is also transferable to any subsequent owner of the location or holder of the product when Module(s) remain at their original installed location upon satisfactory proof of succession or assignment, starting from the date of sale to the first customer installing the modules ("Customer") or starting at the latest 6 months after Modules dispatch from the SUNRI' factory, whichever occurs earlier (the Warranty Start Date")

1. Limited Product Warranty - Ten Year Repair, Replacement or Refund

SUNRI warrants its Photovoltaic modules ("PV-modules"), including field replaceable DC connector cables assemblies, to be free from defects in materials and workmanship under normal application, installation, use and service conditions. If the PV-modules fail to conform to this warranty, then for a period ending ten years from the Warranty Start Date, as proved by an independent testing agency whom will be selected and confirmed by SUNRI and Customer in advance. SUNRI will, at its option, either repair or replace the product, or refund the purchase price as paid by the Customer ("Purchase price"). The repair, replacement or refund remedy shall be the sole and exclusive remedy provided under the limited Product Warranty and shall not extend beyond the ten years period set forth herein. This limited Product Warranty does not warrant a specific power output. Which shall be exclusively covered under clause 2 hereinafter (Limited Peak Power Warranty).

2. Limited Peak Power Warranty—Limited Remedy

A: 12 years

For the PV-modules(exclude inverter/converter) above 100W, SUNRI additionally warrants: If, within twelve years from the Warranty Start Date, any PV-module(s) exhibits a power output less than 90% of the minimum Peak Power at STC1 as specified at the date of delivery in SUNRI' Product information Sheet, provided that such loss in power is determined by SUNRI(at its sole and absolute discretion) to be due to defects in material or workmanship, as proved by an independent testing agency whom will be selected and confirmed by SUNRI and Customer in advance, SUNRI will replace such loss in power by either providing to the customer additional PV-modules to make up such loss in power, or by repairing or replacing the defective PV module(s), or by refunding the purchase price taking into account a yearly depreciation of ten 10% of the purchase price, at the option of SUNRI.

B: 25 years

For the PV-modules(exclude inverter/converter) above 100W, SUNRI additionally



warrants: If, within (a) the first twelve years from the Warranty Start Date, any PV-module(s) exhibits a power output less than 90% of the minimum Peak Power at STC1 as specified at the date of delivery in SUNRI' product information Sheet, or (b), within a period of twenty-five(25) years from the Warranty Start Date, any PV-module(s) exhibits a power output less than 80% of the minimum Peak Power at STC1, provided that such loss in power is determined by SUNRI(at its sole and absolute discretion) to be due to defects in material or workmanship, as proved by an independent testing agency whom will be selected and confirmed by SUNRI and Customer in advance, SUNRI will replace such loss in power by either providing to the Customer additional PV-modules to make up such loss in power, or by repairing or replacing the defective PV module(s), or by refunding the purchase price taking into account a yearly depreciation of 4% of the purchase price, at the option of SUNRI. The remedies set forth in this clause 2 shall be the sole and exclusive remedies provided under the limited Peak Power Warranty.

3. Exclusions and limitations

A: Warranty claims must in any event be filled within the applicable warranty period.

B: The limited warranties do not apply to any PV-modules which in SUNRI' absolute judgments have been subjected to:

- Misuse, abuse, neglect or accident;
- Alternation, improper installation or application;
- Non-observance of SUNRI' installation-users and maintenance instructions; repair or modifications by someone other than an approved service technician of SUNRI; Power failure surges, lighting, flood, fire, accidental breakage or other events outside SUNRI's control.

C: The limited warranties do not cover any transportation costs for return of the PV-modules, or for reshipment of any repaired or replaced or replaced PV-modules, or cost associated with installation, removal or reinstallation of the PV-modules.

D: Warranty claims will not be honored if the type or serial number of the PV-modules have been altered, removed or made illegible.

4. Limitation of Warranty Scope

The limited warranties set forth herein are expressly in line of and exclude all other express or implied warranties. Including but not limited to warranties of merchantability and of fitness for particular purpose, use, or application, and all other obligations or liabilities on the part of SUNRI, unless such other warranties. Obligation or liabilities are expressly agreed to in writing signed shall have to responsibility or liability whatsoever for damage or injury to persons or property, or for other loss or injury resulting from any cause whatsoever arising out of or related to the product, including without limitation, any defects in the module, or from use or installation, under no circumstances shall SUNRI be liable for incidental, consequential or special damages, howsoever caused loss of use, loss of profits, loss of production, loss of revenues are therefore specifically but without limitation excluded. SUNRI's aggregate liability, if any, in damages or otherwise, shall not exceed the invoice value as paid by the customer, for the unit of product or service furnished or to be furnished, as the case may be, which is the subject of claim of dispute.



5. Obtaining Warranty Performance

If the customer feels he/she has a justified claim covered by this limited Warranty. He/she must immediately notify the (a) dealer, who sold the PV-modules, or (b) any authorized SUNRI distributor, of the claim in writing, or (c) send such notification directly to SUNRI. Together with the notification Customer should enclose evidence of the date of sale on which the Solar Products have been purchased. If applicable, Customer's dealer or distributor will give advice on handling the claim. If further assistance is required, Customer is invited to write SUNRI for instructions, the return of any PV-modules will not be accepted unless prior written authorization has been given by SUNRI.

6. Severability

If a part, provision or clause of this limited Warranty, or the application thereof to any person or circumstance, is held invalid, void or unenforceable, such holding shall not affect and shall leave all other parts, provisions, clauses or applications of the limited Warranty, and to this end such other parts, provisions, clauses or applications of this Limited Warranty shall be treated as severable.

7. Disputes

No action, regardless of form, arising out of or in any way connected with this limited Warranty, may be brought by Customer more than one year after the cause of action has accrued.

8 Various

The repair or replacement of the PV-modules or the supply of additional PV-modules does not cause the beginning of new Warranty terms, nor shall the original terms of this limited Warranty be extended. Any replaced PV-modules shall become the property of SUNRI. SUNRI has the right to deliver another type (different in size, color, shape and /or power) in case SUNRI discontinued producing the PV-module in question at the time of the claim.

9 Force Majeure

SUNRI shall not be in any way be responsible or liable to the Customer or any third-party arising out of any non-performance or delay in performance of any terms and conditions of sale, including this limited Warranty, due to acts of God, war, riots, strikes, unavailability of suitable and sufficient labor, material, die, or capacity or technical or yield failures and any unforeseen event beyond its control, including, without limitations, any technological or physical event or condition which is not reasonably known or understood at the time of the sale of the PV-modules or the claim.

Note: 1, "Peak Power" is the power in watt peak that a PV- module generates in its maximum power point. "STC" are as follows (a) light spectrum of AM 1.5, (b) an irradiation of 1,000 W per m² and (c) a cell temperature of 25 degree Centigrade. The measurements are carried out in accordance with IEC60904 as tested at the junction box terminals per the calibration and testing standards of SUNRI valid at the date of manufacture of the PV-modules. SUNRI's calibration standards shall be in compliance with the standards applied by international institutions accredited for this purpose.

Wenzhou Sunri Technology Co.,Ltd.

No.52, Maan Road , Yaoxi Town,
Wenzhou City, Zhejiang, China

Tel: +86-577- 88808358

Fax: +86-577- 55594952

info@sunrisolar.com

www.sunrisolar.com